

AMENDMENTS TO THE CLAIMS

This listing will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (Currently amended) An absorbent garment for personal wear about the wearer's waist, said absorbent garment comprising:

an absorbent assembly constructed to take in and retain body exudates released by the wearer, the absorbent assembly having an inner surface adapted for contiguous relationship with the wearer's body, an outer surface, a front waist region, a back waist region, a crotch region extending longitudinally between and interconnecting the front waist region and the back waist region, a front waist end and a back waist end; ~~and~~

a garment shell configured for encircling the wearer's waist, said garment shell having a front waist region, a front waist end at said front waist region, a back waist region, and a back waist end at said back waist region, the absorbent assembly being disposed generally within the garment shell, and

a waist belt configured for wear about the wearer's waist, the absorbent assembly being releasably and refastenably attached generally at the front and back waist regions thereof to the waist belt, the garment shell being releasably and refastenably attached generally at the front and back waist

regions of said garment shell to the waist belt whereby the front waist region of the garment shell is in opposed relationship with the front waist region of the absorbent assembly and the back waist region of the garment shell is in opposed relationship with the back waist region of the absorbent assembly.

2. Cancelled.

3. (Currently amended) An absorbent garment as set forth in claim 1 wherein the absorbent assembly is releasably and refastenably attached generally at the front and back waist ends of said absorbent assembly to the waist belt, the garment shell being attached generally at the front and back waist ends of said garment shell to the waist belt.

4. (Currently amended) An absorbent garment as set forth in claim 1 wherein the absorbent assembly further comprises at least one fastening component disposed at the front waist region of the absorbent assembly and adapted for releasable and refastenable attachment to the waist belt, and at least one other fastening component disposed at the back waist region of the absorbent assembly and adapted for releasable and refastenable attachment to the waist belt.

5. (Currently amended) An absorbent garment as set forth in claim 4 wherein the at least one fastening component at the

front waist region of the absorbent assembly is a hook fastener and the at least one fastening component at the back waist region of the absorbent assembly is a hook fastener, the waist belt being at least in part constructed of a loop material adapted for releasable and refastenable attachment to said hook fasteners.

6. (Original) An absorbent garment as set forth in claim 1 wherein the waist belt has an inner surface and an outer surface, the garment shell being attached to the outer surface of the waist belt, the absorbent assembly being attached to the inner surface of the waist belt.

7. (Original) An absorbent garment as set forth in claim 1 wherein the waist belt has an end portion which overlaps a portion of the waist belt other than said end portion upon extending about the wearer's waist, said end portion being adapted for releasable attachment to said other portion of the waist belt to secure the waist belt on the wearer's waist.

8. (Original) An absorbent garment as set forth in claim 7 wherein the overlapping end portion of the waist belt has at least one fastening component thereon, said at least one fastening component being adapted for releasable attachment to said other portion of the waist belt.

9. (Original) An absorbent garment as set forth in claim 8 wherein the at least one fastening component comprises at least one hook fastener, the waist belt being constructed at least in part of a loop material capable of releasable attachment to the at least one hook fastener.

10. (Original) An absorbent garment as set forth in claim 1 wherein the waist belt has an unstretched length, said waist belt being stretchable along at least a portion of the unstretched length of the belt.

11. (Original) An absorbent garment as set forth in claim 10 wherein the waist belt is stretchable to a length in the range of about 120 percent to about 200 percent of the unstretched length of said waist belt.

12. (Original) An absorbent garment as set forth in claim 1 wherein the waist belt has a width in the range of about 6 mm to about 80 mm.

13. (Original) An absorbent garment as set forth in claim 1 wherein the absorbent garment has at least one outer leg opening, the absorbent garment also having a pair of inner leg openings separate from the outer leg opening and disposed within the garment shell, the absorbent assembly at least in part defining said inner leg openings, said garment shell defining said at least one outer leg opening.

14. (Original) An absorbent garment as set forth in claim 13 wherein the absorbent assembly is configured to provide an elastic fit of the absorbent assembly against the wearer's legs at the inner leg openings of the absorbent garment, the garment shell being configured to generally hang loose about the wearer's legs at the at least one outer leg opening of the absorbent garment.

15. (Original) An absorbent garment as set forth in claim 13 wherein the absorbent assembly is configured to encircle the legs of the wearer and fully defines the inner leg openings of the absorbent garment.

16. (Original) An absorbent garment as set forth in claim 13 wherein the garment shell further has a crotch region extending longitudinally between the front and back waist regions of the garment shell, the crotch region of the garment shell at least in part defining a pair of outer leg openings of the absorbent garment which are separate from the inner leg openings of the absorbent garment.

17. (Original) An absorbent garment as set forth in claim 16 wherein the crotch region of the absorbent assembly is free from attachment to the crotch region of the garment shell.

18. (Original) An absorbent garment as set forth in claim 1 wherein the absorbent garment has a waist opening, the front and back waist ends of the absorbent assembly at least in part defining the waist opening of the absorbent garment.

19. (Original) An absorbent garment as set forth in claim 18 wherein the absorbent assembly is configured to encircle the waist of the wearer generally at the front and back waist ends of the absorbent assembly to fully define the waist opening of the absorbent garment.

20. (Original) An absorbent garment as set forth in claim 19 wherein the absorbent assembly is a brief-style absorbent assembly.

21. (Original) An absorbent garment as set forth in claim 1 wherein the garment shell has a configuration selected from the group comprising shorts, skorts, skirts and swim trunks.

22. (Currently amended) An absorbent garment as set forth in claim 1 wherein the absorbent garment has a waist opening, at least one outer leg opening, and laterally opposite side seams extending generally from the waist opening to said at least one outer leg opening, the absorbent garment being releasably and refastenably engaged ~~refastenably~~ along at least a portion of each of said side seams.

23. (Original) An absorbent garment as set forth in claim 22 wherein the absorbent garment is permanently closed along another portion of each of said side seams.

24. (Currently amended) An absorbent garment as set forth in claim 23 wherein the releasable and refastenable portion of each side seam extends generally from the at least one leg opening of the absorbent garment to a terminal point intermediate the at least one leg opening and the waist opening, said permanently closed portion of each side seam extending from said terminal point of the releasable and refastenable portion to the waist opening of the absorbent garment.

25. (Currently amended) An absorbent garment as set forth in claim 22 wherein the garment shell comprises a front panel assembly having laterally opposite side margins and a back panel assembly having corresponding laterally opposite side margins, the front panel assembly being in generally overlapping relationship with the back panel assembly at the side margins of said front and back panel assemblies whereby the overlapped side margins generally define the side seams of the absorbent garment, the side margins being releasably and refastenably attached to each other along at least a portion of a length of said side margins to define the releasable and refastenable portion of the side seams of the absorbent garment.

26. (Original) An absorbent garment as set forth in claim 22 wherein the side seams of the absorbent garment are refastenable along the full length of the side seams from the waist opening of the absorbent garment to the at least one outer leg opening thereof.

27. (Original) An absorbent garment as set forth in claim 15 wherein the absorbent assembly has laterally opposite outer edges at the front waist region of the absorbent assembly and corresponding laterally opposite outer edges at the back waist region of the absorbent assembly, the front and back waist regions of the absorbent assembly being attached to each other generally at the respective outer edges of the front and back waist regions whereby the front and back waist regions of the absorbent assembly together with the crotch region of the absorbent assembly encircle the wearer's legs and define the inner leg openings of the absorbent garment.

28. (Currently amended) An absorbent garment as set forth in claim 27 wherein the front and back waist regions of the absorbent assembly are releasably and refastenably attached at the respective outer edges of said front and back waist regions.

29. (Original) An absorbent garment as set forth in claim 15 wherein the absorbent assembly further comprises a pair of



laterally opposite front side panels extending outward of the absorbent assembly generally at the front waist region on laterally opposite sides thereof, and a pair of laterally opposite back side panels extending outward of the absorbent assembly generally at the back waist region on laterally opposite sides thereof, each of the front side panels being attached to a corresponding one of the back side panels such that the front and back side panels together with the crotch region of the absorbent assembly together fully define the inner leg openings of the absorbent garment.

30. (Currently amended) An absorbent assembly as set forth in claim 29 wherein each of the front side panels of the absorbent assembly is releasably and refastenably attached to a corresponding one of the back side panels of the absorbent assembly.

31. (Currently amended) An absorbent garment as set forth in claim 30 wherein the garment shell comprises a front panel assembly having laterally opposite side margins and a back panel assembly having corresponding laterally opposite side margins, the front panel assembly being releasably and refastenably attached to the back panel assembly generally at the respective side margins thereof.

32. (Original) An absorbent garment as set forth in claim 1 wherein the absorbent garment has laterally opposite front

side margins and corresponding laterally opposite back side margins, the front side margins and the back side margins being in overlapping relationship with each other to define laterally opposite side seams of the absorbent garment, the amount of overlap of the front side margins with the back side margins being in the range of about 0.1 inches (2.5 mm) to about 6 inches (152.4 mm).

33. (Original) An absorbent garment as set forth in claim 32 wherein the amount of overlap of the front side margins with the back side margins is in the range of about 0.5 inches (12.7 mm) to about 3 inches (76.2 mm).

34. (Original) An absorbent garment as set forth in claim 1 wherein the absorbent assembly comprises a liquid permeable liner defining the inner surface of the absorbent assembly adapted for contiguous relationship with the wearer, an outer cover in generally opposed relationship with the liner and defining the outer surface of the absorbent assembly, and an absorbent body disposed between the liner and the outer cover.

35. (Original) An absorbent garment as set forth in claim 34 wherein the outer cover of the absorbent assembly is liquid impermeable and the garment shell is liquid permeable.

36. (Currently amended) A method for placing an absorbent garment on a wearer's waist, said method comprising:

extending a waist belt about the wearer's waist such that an overlapping end portion of the belt overlaps an underlying portion of the belt;

releasably attaching the overlapping end portion of the belt to the underlying portion of said belt to secure the belt on the wearer's waist;

releasably and refastenably attaching an absorbent assembly to said waist belt, the absorbent assembly being constructed to take in and retain body exudates released by the wearer, the absorbent assembly having an outer surface and an inner surface adapted for contiguous relationship with the wearer's body, said absorbent assembly further having a front waist region, a back waist region, a crotch region extending longitudinally between and interconnecting the front waist region and the back waist region, a front waist end at said front waist region and a back waist end at said back waist region; and

releasably and refastenably attaching a garment shell to the waist belt, the absorbent assembly being configured for being disposed within the garment shell, said garment shell having a front waist region adapted for generally opposed relationship with the front waist region of the absorbent assembly and a back waist region adapted for generally opposed relationship with the back waist region of the absorbent assembly.

37. Cancelled.

38. (Original) A method as set forth in claim 36 wherein the step of attaching the garment shell to the waist belt is conducted prior to the step of attaching the absorbent assembly to said waist belt.

39. (Original) A method as set forth in claim 36 wherein the step of attaching the garment shell to the waist belt is conducted prior to the step of extending the waist belt about the wearer's waist.

40. (Currently amended) A method as set forth in claim 36 wherein the garment shell comprises a front panel assembly having laterally opposite side margins and a back panel assembly having corresponding laterally opposite side margins, the method further comprising the step of releasably and refastenably attaching the side margins of the front and back panel assemblies together.

41. (Currently amended) A method as set forth in claim 36 wherein the waist belt has an inner surface and an outer surface, the step of attaching the garment shell to the waist belt comprising attaching the garment shell to said outer surface of the waist belt, the step of releasably and refastenably attaching the absorbent assembly to the waist belt comprising releasably and refastenably attaching the absorbent assembly to one of the inner and the outer surface of the waist belt.